

# 角パイプ 未研磨

鋼種 SUS304 正方形

BASE 円/kg

正方形	長さ	t1.0		t1.2		t1.5		t2.0		t3.0	
		kg/本	EX	kg/本	EX	kg/本	EX	kg/本	EX	kg/本	EX
7 × 7	4M										
9 × 9	3M										
	4M										
10 × 10	4M	1.12	600	1.36	430						
12 × 12	4M	1.37	380	1.60	300						
13 × 13	4M	1.50	320	1.76	250						
14 × 14	4M	1.62	280	1.91	200	2.32	130				
16 × 16	5M	2.34	220	2.77	150	3.38	80				
	6M					4.05	80				
19 × 19	5M	2.82	160	3.34	100	4.08	40	5.25	40		
	6M					4.90	40				
20 × 20	5M			3.53	100	4.32	40				
21 × 21	5M	3.14	160	3.72	100	4.56	40				
22 × 22	5M	3.30	160	3.91	100	4.80	40				
24 × 24	5M	3.62	120	4.29	70	5.30	20				
25 × 25	5M			4.48	70	5.50	20				
	6M					6.60	20				
25.4 × 25.4	5M			4.56	70	5.60	20				
28.6 × 28.6	5M	4.34	120	5.15	70	6.35	20				
30 × 30	5M			5.45	70	6.70	20	8.75	20		
	6M					8.04	20				
32 × 32	5M			5.80	50	7.20	BASE	9.40	BASE		
	6M					8.64	BASE				
35 × 35	5M			6.40	50	7.90	BASE				
38.5 × 38.5	5M			7.05	50	8.75	BASE	11.4	BASE		
40 × 40	5M					9.10	BASE	11.9	BASE		
	6M					10.9	BASE				
41 × 41	5M			7.55	130	9.30	80	12.2	80		
	6M					11.2	80				
46 × 46	5M					10.5	80	13.8	80		
50 × 50	5M					11.4	80	15.1	80	22.0	80
	6M					13.7	80	18.1	80	26.5	80
60 × 60	5M					13.8	80	18.2	80	26.8	80
	6M					16.6	80	21.9	80		
75 × 75	5M							23.0	120	34.0	120
	6M							27.6	120		
100 × 100	5M							31.0	220	45.8	220
	6M							37.1	220		

# 角 パ イ プ 未 研 磨

鋼種 SUS304 長方形

BASE 円/kg

長方形	長さ	t1.0		t1.2		t1.5		t2.0		t3.0	
		kg/本	EX	kg/本	EX	kg/本	EX	kg/本	EX	kg/本	EX
19 × 10	4M	1.68	280	1.98	200						
22 × 12	5M	2.50	220	2.96	150	3.61	80				
25 × 12	5M			3.24	100	3.97	40				
24 × 14	5M	2.82	160	3.34	100	4.08	40	5.25	40		
32 × 16	5M	3.62	120	4.29	70	5.30	20				
	6M					6.36	20				
30 × 20	5M			4.48	70	5.50	20				
	6M					6.60	20				
30 × 25	5M			4.96	70	6.10	20				
40 × 18	5M	4.40	120	5.25	70	6.45	20				
40 × 20	5M			5.45	70	6.70	20	8.75	20		
	6M					8.04	20				
40 × 25	5M			5.90	50	7.30	BASE	9.55	BASE		
	6M					8.76	BASE				
50 × 20	5M			6.40	50	7.90	BASE	10.4	BASE		
50 × 25	5M					8.50	BASE	11.1	BASE		
	6M					10.2	BASE				
51 × 26	5M			7.05	50	8.75	BASE	11.4	BASE		
	6M					10.5	BASE				
50 × 30	5M					9.10	80	11.9	80		
	6M					10.9	80				
65 × 18	5M			7.60	130	9.45	80				
60 × 25	5M					9.70	80	12.7	80		
60 × 30	5M					10.2	80	13.5	80		
	6M					12.3	80	16.2	80		
61 × 32	5M					10.6	80	14.0	80		
	6M					12.8	80				
70 × 25	5M					10.8	80	14.3	80		
60 × 40	5M					11.4	80	15.1	80	22.0	80
70 × 30	5M					11.4	80	15.1	80		
75 × 25	5M					11.4	80	15.1	80		
75 × 45	5M					13.8	80	18.2	80	26.8	80
	6M					16.6	80	21.9	80		
80 × 40	5M					13.8	80	18.2	80	26.8	80
	6M					16.6	80	21.9	80		
90 × 30	5M					13.8	80	18.2	80	26.8	80
	6M					16.6	80				
90 × 50	5M					16.2	120	21.4	120	31.6	120
100 × 40	5M							21.4	120	31.6	120
100 × 50	5M							23.0	120	34.0	120
	6M							27.6	120	40.7	120
120 × 60	5M							27.8	120	41.1	120
125 × 75	5M							31.0	220	45.8	220
150 × 50	5M							31.0	220	45.8	220

# 角 パ イ プ H L

鋼種 SUS304 正方形

BASE 円/kg

正方形	長さ	t1.0		t1.2		t1.5		t2.0		t3.0	
		kg/本	EX	kg/本	EX	kg/本	EX	kg/本	EX	kg/本	EX
7 × 7	4M	0.736	860								
9 × 9	3M	0.741	710								
	4M	0.988	710								
10 × 10	4M	1.12	600	1.30	430						
12 × 12	4M	1.37	380	1.60	300						
13 × 13	4M	1.50	320	1.76	250						
14 × 14	4M	1.62	280	1.91	200	2.32	130				
16 × 16	5M	2.34	220	2.77	150	3.38	80				
	6M					4.05	80				
19 × 19	5M	2.82	160	3.34	100	4.08	40	5.25	40		
	6M					4.90	40				
20 × 20	5M			3.53	100	4.32	40				
21 × 21	5M	3.14	160	3.72	100	4.56	40				
22 × 22	5M	3.30	160	3.91	100	4.80	40				
24 × 24	5M	3.62	120	4.29	70	5.30	20				
25 × 25	5M			4.48	70	5.50	20				
	6M					6.60	20				
25.4 × 25.4	5M			4.56	70	5.60	20				
28.6 × 28.6	5M	4.34	120	5.15	70	6.35	20				
30 × 30	5M			5.45	70	6.70	20	8.75	20		
	6M					8.04	20				
32 × 32	5M			5.80	50	7.20	BASE	9.40	BASE		
	6M					8.64	BASE				
35 × 35	5M			6.40	50	7.90	BASE				
38.5 × 38.5	5M			7.05	50	8.75	BASE	11.4	BASE		
40 × 40	5M					9.10	BASE	11.9	BASE		
	6M					10.9	BASE				
41 × 41	5M			7.55	130	9.30	80	12.2	80		
	6M					11.2	80				
46 × 46	5M					10.5	80	13.8	80		
50 × 50	5M					11.4	80	15.1	80	22.0	80
	6M					13.7	80	18.1	80	26.5	80
60 × 60	5M					13.8	80	18.2	80	26.8	80
	6M					16.6	80	21.9	80		
75 × 75	5M							23.0	120	34.0	120
	6M							27.6	120		
100 × 100	5M							31.0	220	45.8	220
	6M							37.1	220		

正方形	長さ	t0.8	
		kg/本	EX
9 × 9	3M	0.612	1100
9 × 9	4M	0.816	1100



# 角パイプ # 4 0 0

鋼種 SUS304 正方形

BASE 円/kg

正方形	長さ	t1.0		t1.2		t1.5		t2.0		t3.0	
		kg/本	EX	kg/本	EX	kg/本	EX	kg/本	EX	kg/本	EX
7 × 7	4M	0.736	930								
9 × 9	3M	0.741	780								
	4M	0.988	780								
10 × 10	4M	1.12	700	1.30	450						
12 × 12	4M	1.37	420	1.60	330						
13 × 13	4M	1.50	330	1.76	250						
14 × 14	4M	1.62	310	1.91	220	2.32	130				
16 × 16	5M	2.34	250	2.77	170	3.38	90				
	6M					4.05	90				
19 × 19	5M	2.82	180	3.34	110	4.08	50	5.25	50		
	6M					4.90	50				
20 × 20	5M			3.53	110	4.32	50				
21 × 21	5M	3.14	180	3.72	110	4.56	50				
22 × 22	5M	3.30	180	3.91	110	4.80	50				
24 × 24	5M	3.62	140	4.29	80	5.30	30				
25 × 25	5M			4.48	80	5.50	30				
	6M					6.60	30				
25.4 × 25.4	5M			4.56	80	5.60	30				
28.6 × 28.6	5M	4.34	140	5.15	80	6.35	30				
30 × 30	5M			5.45	80	6.70	30	8.75	20		
	6M										
32 × 32	5M			5.80	60	7.20	BASE	9.40	BASE		
	6M					8.64	BASE				
35 × 35	5M			6.40	60	7.90	BASE				
38.5 × 38.5	5M			7.05	60	8.75	BASE	11.4	BASE		
40 × 40	5M					9.10	BASE	11.9	BASE		
	6M					10.9	BASE				
41 × 41	5M			7.55	150	9.30	90	12.2	90		
	6M					11.2	90				
46 × 46	5M					10.5	90	13.8	90		
50 × 50	5M					11.4	90	15.1	90	22.0	90
	6M					13.7	90	18.1	90	26.5	90
60 × 60	5M					13.8	90	18.2	90	26.8	90
	6M					16.6	90	21.9	90		
75 × 75	5M							23.0	140	34.0	140
	6M							27.6	140		
100 × 100	5M							31.0	250	45.8	250
	6M							37.1	250		

正方形	長さ	t0.8	
		kg/本	EX
9 × 9	3M	0.612	1,100
9 × 9	4M	0.816	1,100

# 角パイプ # 4 0 0

鋼種 SUS304 長方形

BASE 円/kg


長方形	長さ	t1.0		t1.2		t1.5		t2.0		t3.0	
		kg/本	EX	kg/本	EX	kg/本	EX	kg/本	EX	kg/本	EX
19 × 10	4M	1.68	310	1.98	220						
22 × 12	5M	2.50	250	2.96	170	3.61	90				
25 × 12	5M			3.24	110	3.97	50				
24 × 14	5M	2.82	180	3.34	110	4.08	50				
32 × 16	5M	3.62	120	4.29	80	5.30	30				
	6M					6.36	30				
30 × 20	5M			4.48	80	5.50	30				
	6M					6.60	30				
30 × 25	5M			4.96	80	6.10	30				
40 × 18	5M	4.40	140	5.25	80	6.45	30				
40 × 20	5M			5.45	80	6.70	30	8.75	30		
	6M					8.04	30				
40 × 25	5M			5.90	60	7.30	BASE	9.55	BASE		
	6M					8.76	BASE				
50 × 20	5M			6.40	60	7.90	BASE	10.4	BASE		
50 × 25	5M					8.50	BASE	11.1	BASE		
	6M					10.2	BASE				
51 × 26	5M			7.05	60	8.75	BASE	11.4	BASE		
	6M					10.5	BASE				
50 × 30	5M					9.10	90	11.9	90		
	6M					10.9	90				
65 × 18	5M			7.60	150	9.45	90				
60 × 25	5M					9.70	90	12.7	90		
60 × 30	5M					10.2	90	13.5	90		
	6M					12.3	90				
61 × 32	5M					10.6	90	14.0	90		
	6M					12.8	90				
70 × 25	5M					10.8	90	14.3	90		
60 × 40	5M					11.4	90	15.1	90		
70 × 30	5M					11.4	90	15.1	90		
75 × 25	5M										
75 × 45	5M					13.8	90	18.2	90	26.8	90
	6M					16.6	90	21.9	90		
80 × 40	5M					13.8	90	18.2	90	26.8	90
	6M					16.6	90	21.9	90		
90 × 30	5M					13.8	90	18.2	90	26.8	90
	6M					16.6	90				
90 × 50	5M							21.4	140	31.6	140
100 × 40	5M							21.4	140	31.6	140
100 × 50	5M							23.0	140	34.0	140
	6M							27.6	140	40.7	140
120 × 60	5M							27.8	140	41.1	140
125 × 75	5M							31.0	250	45.8	250
150 × 50	5M							31.0	250	45.8	250

# フラット角パイプ

鋼種 SUS304

BASE

円/kg





形状	サイズ(axb)・板厚・長さ	t1.2		t1.5	
		kg/本	EX	kg/本	EX
フラット角パイプ HL仕上げ 	6 × 12 × 4000	1.53	1,200		
	6 × 25 × 4000	2.37	650	2.92	530
	6 × 30 × 4000	2.73	510	3.36	410
	6 × 40 × 4000	3.44	360	4.26	260
	6 × 50 × 4000	4.21	230	5.22	170
	6 × 65 × 4000			6.58	30
	6 × 75 × 4000			7.52	20
	6 × 100 × 4000			9.92	20
	9 × 25 × 4000			3.29	480
	9 × 30 × 4000			3.74	380
	9 × 40 × 4000			4.56	240
	9 × 50 × 4000	4.41	200	5.47	140
	9 × 65 × 4000	5.67	140	7.04	80
	9 × 75 × 4000			7.85	20
	9 × 100 × 4000			10.2	BASE
	10 × 50 × 4000			5.66	500
	10 × 100 × 4000			10.4	500
	12 × 50 × 4000	4.64	170	5.75	120
	12 × 65 × 4000			7.25	60
	12 × 75 × 4000			8.12	20
12 × 100 × 4000			10.5	20	
16 × 50 × 4000			6.23	500	
16 × 65 × 4000			7.67	500	
16 × 100 × 4000			11.0	500	
19 × 50 × 4000			6.52	500	

# ダ円パイプ

鋼種 SUS304

BASE


円/kg

形状	サイズ(axb)・板厚・長さ	kg/本	HL	#400
			EX	EX
Aタイプ 	28 × 16 × 1.2 × 5000	3.86	140	320
	40 × 20 × 1.5 × 5000	5.70	160	270
	50 × 20 × 1.5 × 5000	6.80	210	270
	60 × 30 × 1.5 × 5000	8.80	190	330
	71 × 23 × 1.2 × 5000	7.30	270	420
	71 × 23 × 1.5 × 5000	9.05	210	270
	84 × 28 × 1.5 × 5000	11.6	280	
	120 × 45 × 2.0 × 5000	21.8	240	
	220 × 100 × 3.0 × 6000	72.6	BASE	
Bタイプ 	35 × 19 × 1.5 × 5000	5.05	260	320
Cタイプ 	37 × 14 × 1.5 × 5000	5.05	160	
	40 × 15 × 1.5 × 5000	5.70	160	300
	46 × 20 × 1.2 × 5000	5.50	250	
	46 × 20 × 1.5 × 5000	6.85	200	300
	80 × 25 × 1.5 × 5000	10.9	300	360
	100 × 35 × 2.0 × 5000	18.5	120	
半円パイプ 	60 × 30 × 1.5 × 5000	8.80	320	
	60 × 30 × 2.0 × 5000	13.7	70	
	80 × 40 × 2.0 × 5000	15.0	130	

# 異 形 パ イ プ


鋼種 SUS304

BASE 円/kg

甲丸パイプ	t x a x b x c	長さ(mm)	Kg/本	HL品
				EX
	1.5 × 62 × 40 × 30	5000	13.3	BASE


鋼種 SUS304

BASE 円/kg

溝形丸パイプ	t x a x b x c	長さ(mm)	kg/本	HL品	#400品
				EX	EX
	1.5 × 34 × 15 × 20	5000	8.35	60	400
	1.5 × 38 × 20 × 20	5000	8.95	60	400
	1.5 × 42.7 × 20 × 20	5000	9.80	50	450
	1.5 × 48.6 × 20 × 20	5000	11.0	10	390
	1.5 × 50 × 20 × 20	5000	11.4	30	400
	2.0 × 60.5 × 20 × 20	5000	17.7	20	250
	2.0 × 76.3 × 25 × 30	5000	23.2	BASE	260
	2.0 × 89.1 × 25 × 30	5000	26.5	BASE	260
	2.0 × 101.6 × 30 × 40	5000	31.0	80	340

鋼種 SUS304

BASE 円/kg

溝形角パイプ	t x a x b x c x d	長さ(mm)	kg/本	HL品	#400品
				EX	EX
	1.5 × 50 × 25 × 20 × 20	5000	10.8	20	500
	1.5 × 60 × 30 × 25 × 20	5000	13.2	20	300
	1.5 × 80 × 40 × 30 × 25	5000	23.2	BASE	190
	2.0 × 100 × 50 × 30 × 30	5000	28.3	BASE	190