

●構造用鋼

クロム・モリブデン鋼(1/2)

●=常時在庫 ▲=不定期在庫 ★=在庫限り(要お問い合わせ)

鋼種 径mm	SCM435H	SCM440H	SCM415H	SCM420H	ASTM A182 F11	ASTM A182 F22
13		★				
16						
19						
20	★					
22	★		●	●		
25	●	●	●	●		
26	●	●	●	●		
28	●	●	●	●		
30	●	●	●	●		
32	●	●	●	●		
34	●	●	●	●		
36	●	●	●	●		
38	●	●	●	●		
40	●	●	●	●		
42	●	●	●	●		
鋼種 径mm	SCM435H	SCM440H	SCM415H	SCM420H	ASTM A182 F11	ASTM A182 F22
44	●	●	●	●		
45	●	●	●	●		
46	●	●	●	●		
48	●	●	●	●		
50	●	●	●	●	▲	▲
55	●	●	●	●	▲	▲
60	●	●	●	●	▲	▲
65	●	●	●	●	▲	▲
70	●	●	●	●	▲	▲
75	●	●	●	●	▲	▲
80	●	●	●	●	▲	▲
85	●	●	●	●	▲	▲
90	●	●	●	●	▲	▲
95	●	●	●	●	▲	▲
100	●	●	●	●	▲	▲
鋼種 径mm	SCM435H	SCM440H	SCM415H	SCM420H	ASTM A182 F11	ASTM A182 F22
105						
110	●	●	●	●	▲	▲
115	★			★		
120	●	●	●	●	▲	▲
125						
130	●	●	●	●	▲	▲
135						
140	●	●	●	●	▲	▲
150	●	●	●	●	▲	▲
160	●	●	●	●	▲	▲
170	●	●	●	●	▲	▲
180	●	●	●	●	▲	▲
190	●	●	●	●	▲	▲
200	●	●	●	●	▲	▲
210	●	●	●	●		
220	●	●	●	●		
230	●	●	●	●		
240	●	●	●	●		
250	●	●	●	●	▲	▲

●構造用鋼

クロム・モリブデン鋼(2/2)

●=常時在庫 ▲=不定期在庫 ★=在庫限り(要お問い合わせ)

鋼種 径mm	SCM435H	SCM440H	SCM415H	SCM420H	ASTM A182 F11	ASTM A182 F22
260	●	●	●	●		
270	●	●	●	●		
280	●	●	●	●		
290	●	●	●	●		
300	●	●	●	●	▲	▲
310		●		●		
320		●		●		
330		●		●		
340		●		●		
350		●		●		
360		●		●		
370		●		●		
380		●		●		
390		●		●		
400		●		●		
405		★				

●構造用鋼

ニッケル・クロム・モリブデン鋼

●=常時在庫 ▲=不定期在庫 ★=在庫限り(要お問い合わせ)

鋼種	SNCM439
径mm	
13	
16	
19	
20	
22	
25	
26	
28	
30	●
32	●
34	●
36	
38	●
40	●
42	
鋼種	SNCM439
径mm	
44	
45	
46	
48	●
50	●
55	●
60	●
65	●
70	●
75	●
80	●
85	●
90	●
95	●
100	●
鋼種	SNCM439
径mm	
110	●
120	●
130	●
140	●
150	●
160	●
170	●
180	●
190	●
200	●
210	●
220	●
230	●
240	●
250	●
鋼種	SNCM439
径mm	
260	●
270	●
280	●
290	●
300	●

●構造用鋼

非調質鋼

●=常時在庫 ▲=不定期在庫 ★=在庫限り(要お問い合わせ)

鋼種 径mm	SVD48	SMT75
22	●	
25	●	
28	▲	★
30	▲	★
32	▲	★
34	▲	★
36	▲	★
38	●	
40	▲	★
42	▲	★
44	●	
46	▲	
48	▲	★
50	▲	●
鋼種 径mm	SVD48	SMT75
55		●
60		●
65		●
70		●
75		●
80		●
85		●
90		●
95		●
100		●
110		●
120		●
130		●
140		●
150		●
鋼種 径mm	SVD48	SMT75
160		●
170		●
180		●
190		●
200		●